

Description



© Ströer

The split-screen ad ensures maximum visibility in the direct vicinity of highly sought-after results such as the weather or Bundesliga.

The seamless integration of the advertising message into the editorial content creates a high level of relevance and emotional charge. The playout trigger is visually linked to the advertising message, which attracts additional attention.

Thanks to the high-quality editorial environments, brands benefit from strong brand trust and effective image transfer. Other attractive environments are available on request.

Notes

Initially, 5 seconds of full-screen editorial content can be seen. This pulls down and to the right into a field hockey stick and makes room for the advertising space.

The exposed advertising space can contain a video, static, or an animation corresponding to the length of the ad.

Specifications

Spot length

- Please refer to the order confirmation for the spot length
- No title slates or blank frames
- ATTENTION: exact booked spot length, i.e. at 10 seconds = 10 s 00 ms (there must not be milliseconds more or less)

Resolution

- 1920 x 1080 pixels, sRGB for Infoscreen and Mall Video (landscape)
- 1080 x 1920 pixels, sRGB for Station Video and Mall Video (portrait)
- The resolution and permitted creation depends on the city and location. Please observe the format specifications.

Aspect ratio

- 16:9
- 9:16

Degree of movement

No restrictions

File Format

Managed Service

Video

MP4, 25, 29.97 and 30 fps , without audio track.

Codec: uncompressed or h.264 (bitrate min. 30 Mbit/s)

no fields (progressive)

Still image

.psd / .jpeg / .bmp / .tif / .pdf / .png / .eps

PowerPoint, InDesign and Flash files cannot be accepted

General instructions for DOOH that must be followed

- Content should be receivable in the booked time
- Content must comply with youth protection guidelines
- Spots must be created exactly in the resolution of the booked advertising medium
- Spot lengths must correspond exactly to the booked time
- Note on the **AI labeling requirement**: As of August 2, 2026, the AI labeling requirements under Article 50 of the AI Regulation will take effect. As a client, please verify whether your AI-generated or AI-modified advertising materials are subject to the labeling requirement under Article 50 of the EU AI Act. The responsibility for compliance with the labeling requirement lies with you as the creator.

Delivery of advertising material

Lead time and delivery address

- DOOH advertising media are always handled as follows when booked with Ströer Media Solutions:
- All DOOH advertising material must be sent to Ströer for technical and content review at least **15 working days** before the start of the campaign.
Advertising material is delivered by e-mail to the following addresses:

Name	E-Mail
Special intermediaries (Weischer, PosterSelect, Contrast Media, outmaxx Media etc.)	ops-pdooh-spezialmittler@stroeer.de
Omnicom	ops-pdooh-omnicom@stroeer.de
Independent Agencies (Zanatta, Overmedia, NetzwerkReklame etc.) + Crossmedia + Add2 + Havas + DSPs	ops-pdooh-agenturen@stroeer.de
Dentsu + ItWorks/ WestWorks	ops-pdooh-dentsu-itworks@stroeer.de
MGMP + Kinesso + Planus + UM	ops-pdooh-mgmp@stroeer.de
Publicis	ops-pdooh-publicis@stroeer.de
WPP Media, Emetriq	ops-pdooh-wppmedia@stroeer.de
Direct Clients	ops-pdooh-client@stroeer.de
Pilot	ops-pdooh-pilot@stroeer.de
UMLs	ops-pdooh-umls@stroeer.de

Always include the following information in your email (also in the event of inquiries and/or subsequent changes to advertising

material):

- Name of the advertiser
- Name of the marketing campaign according to the order
- Period of the campaign
- Advertising Medium
- Motif instruction/Placement periods of the individual advertising media, if some advertising media are not to be delivered for the entire duration of the campaign.

Programmatic Creative Approval and Caching

[ppv-creative-approval-stroeer.pdf](#)

The specifications are continuously updated. Please always use the latest download.

Responsible for the content:

Ströer Media Solutions GmbH | Kehrwieder 8-9 | 20457 Hamburg